


Typical Dimensions



Ordering Information

Continuous Power (W)		Output Voltage (V)			
		12Vdc	24Vdc	110Vac	230Vac
20W	1 x 135W PV cell	SPP-501 Batt 12V 65Ah	SPP-601 Batt 12V 65Ah	SPP-701 Batt 12V 65Ah	SPP-801 Batt 12V 65Ah
40W	2 x 135W PV cell	SPP-502 Batt 12V 140Ah	SPP-602 Batt 24V 65Ah	SPP-702 Batt 24V 65Ah	SPP-802 Batt 24V 65Ah
80W	4 x 135W PV cell	SPP-503 Batt 12V 280Ah	SPP-603 Batt 24V 140Ah	SPP-703 Batt 24V 140Ah	SPP-803 Batt 24V 140Ah
186W	8 X 135W PV cell	SPP-504 Batt 24V 280Ah	SPP-604 Batt 24V 280Ah	SPP-704 Batt 24V 280Ah	SPP-804 Batt 24V 280Ah

Note: The above values are based on 5 hours sun per day @ 1000W/m² & 1.5 Days battery autonomy



JCE Energy Ltd, Blackburn Business Park, Aberdeen, AB21 0PS
 Tel. +44 (0) 1224 798600 Fax +44 (0) 1224 798601
 E-Mail: info@jceenergy.com

- Details of certification and conformity can be provided on request.
- All products sold subject to our terms and conditions of business.
- Health and Safety at Work Act 1974. In the UK all equipment must be installed and disposed of (as required) within the legislative requirements of the Health & Safety at Work Act 1974.
- We reserve the right to make alterations to the technical data dimensions, weights, designs and product available without notice.
- The illustrations should not be considered legally binding.